From: Sarah Wido [mailto:Sarah.Wido@Inteliquent.com]

Sent: Wednesday, January 10, 2018 9:47 AM **To:** Pratt, Douglas < <u>Douglas.Pratt@psc.sc.gov</u>>

Subject: OVERDUE PART 4 SC

Hello,

Please see attached Part 4s, and let me know if you have any questions.

Thanks!



Sarah Wido

Numbering Administrator, Inteliquent

o: 800.933.1224 m: 216.373.4870 24-hr NOC:

800.933.1224

75 Erie View, Suite 400, Cleveland OH 44114

www.inteliquent.com e: sarah.wido@inteliquent.com



Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) **Confirmation Form** Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Company Name: NEUTRAL TANDEM-SOUTH CAROLINA, LLC

Print Name of Authorized Representative:	Sarah Wido				
Signature:	Sarah Wido	Date:	01/10/18		Formatted: Font: 12 pt
Telephone Number:					Formatted: Font: Brush Script MT, 12
Email:	Sarah.wido@inteliquent.com			1	
Fax Number:					

1.	NPA-NXX-X block: <u>864-772-6</u>	Rate Center:ANDERSON	_
2.	Switch Identification (Switching Entity / POI) ² :	GNVLSCDTXJX	
3.	Original Effective Date ³ :07/09/17		
4	In Service Date ⁴ : 07/09/17		

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.5

¹ "In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do not satisfy the In Service Requirement.

² This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11character COMMON LANGUAGE Location Identification (CLLITM) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

 $^{^4}$ i.e., the date the block was placed in Service.. 5 FCC 00-104 \P 237

Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) Confirmation Form Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Print Name of Authorized Representative:	Sarah Wido				
Signature:	Sarah Wido	Date:	01/10/18		
Telephone Number:	216-373-4870				
Email:	Sarah.wido@inteliquent.com				
Eav Number:					

Company Name: NEUTRAL TANDEM-SOUTH CAROLINA, LLC

Formatted: Font: 12 pt
Formatted: Font: Brush Script MT, 12 pt

PLEA	ASANT————	43-936-4-	Rate Center:MOUNT	
2.	Switch Identification (Sw	ritching Entity / POI)2:	CHTNSCDTX6Y	
3.	Original Effective Date ³ :	07/09/17		
4.	In Service Date4:	07/09/17		

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.⁵

¹ "In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do not satisfy the In Service Requirement.

² This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11-character COMMON LANGUAGE Location Identification (CLLI™) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

⁴ i.e., the date the block was placed in Service...

⁵ FCC 00-104 ¶ 237

Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) Confirmation Form Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Print Name of Authorized Representative:	Sarah Wido				
Signature:	Sarah Wido	Date:	01/10/18		Formatted: Font: 12 pt
Telephone Number:	216-373-4870				Formatted: Font: Brush Script MT, 12 pt
Email:	Sarah.wido@inteliquent.com				
Fax Number:					
Fax Number:				J	

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.⁵

Switch Identification (Switching Entity / POI)2: CHTNSCDTX6Y

07/09/17

07/09/17

Original Effective Date3:

In Service Date4: ____

2.

3.4.

¹ "In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do not satisfy the In Service Requirement.

not satisfy the In Service Requirement.

This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11-character COMMON LANGUAGE Location Identification (CLLITM) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

⁴ i.e., the date the block was placed in Service.

⁵ FCC 00-104 ¶ 237

Formatted: Font: 12 pt

Formatted: Font: Brush Script MT, 12 pt

February 14, 2011 ATIS-0300066.at4 Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) Confirmation Form Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Company Name: NEUTRAL TANDEM-SOUTH CAROLINA, LLC

OCN: 548E

Print Name of

Representative:	\$				
Signature:	Sarah Wido		Date:	01/10/18	
Telephone Number:	216-373-4870				
Email:	Sarah.wido@inteliquent.com				
Fax Number:					
		600 8 000 00	2002-00		
 NPA-NXX-X bloc 	k: 864-754-0-	Rate Center:	SPA	RTANBG-	

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.⁵

07/09/17

07/09/17

Original Effective Date3: ___

In Service Date4: ___

4.

¹ "In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do not satisfy the In Service Requirement.

not satisfy the In Service Requirement.

This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11-character COMMON LANGUAGE Location Identification (CLLITM) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

⁴ i.e., the date the block was placed In Service..

⁵ FCC 00-104 ¶ 237

Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) **Confirmation Form** Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Company Name: NEUTRAL TANDEM-SOUTH CAROLINA, LLC

Print Name of Authorized Representative:	<u>Sarah Wido</u>				
Signature:	Sarah Wido	Date:	01/10/18		Formatted: Font: 12 pt
Telephone Number:	216-373-4870				Formatted: Font: Brush Script MT, 12 p
Email:	Sarah.wido@inteliquent.com				
Fax Number:				1	

1.	NPA-NXX-X block: <u>864-800-1</u>	Rate Center: _	GREENVILLE-
2.	Switch Identification (Switching Entity / POI) ² :	GNVLSCDTXJX	
3.	Original Effective Date ³ :07/09/17		
4.	In Service Date ⁴ : 07/09/17		

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.5

^{1 &}quot;In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do ot satisfy the In Service Requirement.

This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11-

character COMMON LANGUAGE Location Identification (CLLITM) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

 $^{^4}$ i.e., the date the block was placed in Service. 5 FCC 00-104 \P 237

Attachment 4

Thousands-Block Number Pooling Administration Guidelines (TBPAG) Thousands-Block (NXX-X) **Confirmation Form** Part 4

Confirmation of NXX-X Block In Service (Required)

By signing below, I certify that the block (NXX-X) specified in Section 1 below is In Service¹ (i.e., that one or more telephone numbers from the block are activated and Assigned to end users) and is being used for the purpose specified in the original application.

Company Name: NEUTRAL TANDEM-SOUTH CAROLINA, LLC

OCN: 348E				
Print Name of Authorized Representative:	Sarah Wido			
Signature:	Sarah Wido Date: 01/10/18			 Formatted: Font: 12 pt
Telephone Number:	216-373-4870			Formatted: Font: Brush Script MT,
Email:	Sarah.wido@inteliquent.com			
Fax Number:				

1.	NPA-NXX-X block: 843-59 SUMMERVILLE	<u>4-0– </u>	Rate Center:	
2.	Switch Identification (Switching	Entity / POI)2:	CHTNSCDTX6Y	
3.	Original Effective Date ³ :	07/09/17		_
4.	In Service Date4:07/0	9/17		

Note: State commissions may request proof from all block holders that an NXX-X block has been activated and assignment of the numbers has commenced.5

¹ "In Service" is defined as follows: A code or block for which local routing information appears in the LERG Routing Guide, and one or more telephone numbers within the NXX code or NXX-X block has been Assigned to an end user (FCC 00-104, ¶240). Numbers that are categorized as Administrative, Aging, Intermediate, Reserved, or Available cannot also be Assigned, and do not satisfy the In Service Requirement.

² This is an 11-character descriptor of the switch provided by the owning entity for the purpose of routing calls. It is the 11character COMMON LANGUAGE Location Identification (CLLITM) of the switch/POI shown on the Part 1A form.

³ This form must be submitted to the PA within six months of the original effective date returned on the Part 3 and entered on the BCR/BCD screen in BIRRDS or reclamation procedures will commence.

 $^{^4}$ i.e., the date the block was placed in Service.. 5 FCC 00-104 \P 237